·						
FORM PTO-1449 (Modified) LIST OF PATENTS AND PUBLICAPIONS FOR APPLICANT'S INFORMATION DISCLOSURE STATEMENT			Attorney Docket No. 018623-005091/EPI 09/017,524 09/017			
			Applicant: Ralph T. Kubo et al.			
(Use several sheets if necessary)		Filing Date: 2/3/98	Group: not assigned			
Reference	Designation	î, s.s.	PATENT DOCUMENTS			
Examiner Initial	Document No.	Date	Name	Class	Sub- class	Filing Date (If Appropriate)
<u>₩</u> A1	5,342,774	08/30/94	Boon et al.	4-3-5	240.2	12/12/91
<u> </u>	5,200,320	04/06/93	Sette et al.	435	7.24	12/07/87
N-V A3	5,405,940	04/11/95	Boon et al.	530	328	08/31/92
		FOREI(GN PATENT DOCUMENTS			
	Document No.	Date	Country	Class	Sub- class	Translation (yes/no)
<u>M;</u> B1 J.	WO 94/05304 (PCT/US93/08 157)	03/17/94	PCT	C07K	7/06	
Equens My	WO 92/21033	11/26/1912	PCT			yes Mo
Mys Ms	WO 94/11738	5/26/094	PCT	and the second second second second		- No
<u>№</u> В4	WO 92/02543	2/92	PCT			
	OTHER ART (Including Author	or, Title, Date, Pertinen	t Pages,	Etc.)	
Mul _{C1}	C1 Celis, E. et al., Proc. Nat'l. Acad. Sci. USA 91: 2105-2109 (March, 1994), Induction of anti-tumor cytotoxic T lymphocytes in normal humans using primary cultures and synthetic peptide epitopes".					
C2	Ding, M. et al., Biochem. Bioshys. Res. Commun. 202(1): 549-555 (July 15, 1994), "Cloning and analysis of MAGE-1-related genes".					
C3	Gaugler, B. et al., J. Exp. Med. 179(3): 921-930 (March 1, 1994), "Human gene MAGE-3 codes for an antigen recognized on a melanoma by autologous cytolytic T lymphocytes".					
C4	Oakes, M.K. et al., Cancer Res. 54: 1627-1629 (April 1, 1994), "Molecular cytogenetic mapping of the human melanoma antigen (MAGE) gene family to chromosome region Xq27-qtr: implications for MAGE immunotherapy".					
C5	Paul, W.F.(ed.), Fundamental Immunology, 3 rd ed., pp- 976-978 (1993), Raven Press, NY					
C6	C6 Traversari, C. et al., J. Exp. Med. 176: 1453-1457 (November, 1992), "A nonapeptide encoded by human gene MAGE-1 is recognized on HLA-A1 by cytolytic T lymphocytes directed against tumor antigen MZ2-E".					
C7 Robbins Pathologic Basis of Disease, 4 th edition (R.S. Cotran et: al., ed.), pp. 296-299 (1989), W.B. Saunders Co., Philadelphia						
		/		11.1	_	

An. Di

12/30/0

FORM PTO-1449 (Modified) LIST OF PATENTS AND PUBLICATIONS FOR.		Attorney Docket No. 018623-005091/EPI 0050.91US	Serial No.: 09/017,524		
II .	S INFORMATION DESCLOSURE	Applicant: Ralph T. Kubo et al.			
(Use several	sheets if necessary)	Filing Date: 2/3/98	Group: not assigned		
UJC8	Weynants, P. et 1 J. Cancer, 56: 826-829 (1994), "Expression of MAGE genes by non-small-cell lung carcinomas".				
C9	Zakut, R. et al., Cancer Res. 53: 5-8 (January 1, 1993), "Differential expression of MAGE-1, -2, and -3 messenger RNA in transformed and normal human cell lines".				
C10	Urban, J.L., et al., "Autoimmune T Cells: Immune Recognition of Normal and Variant Peptide Epitopes and Peptide-Based Therapy," Cell 59:257-271 (October 20, 1989).				
C11	Wraith, D.C., et al., "Antigen Recognition in Autoimmune Encephalomyelitis and the Potential for Peptide-Mediated Immunotherapy," Cell 59:247-255 (October 20, 1989).				
C12	Parker, K.C., et al., "Pepti Escherichia coli, J. Biol. C	de Binding to HLA-A2 and I Them. 267(8):5451-5459 (Man	HLA-B27 Isolated from rch 15, 1992).		
C13	Morrison, J., et al., "Identification of the nonamer peptide from influenza A matrix protein and the role of pockets of HLA-A2 in its recognition by cytotoxic T lymphocytes," Eur. J. Immunol., 22:903-907 (1992) .				
C14	Shimojo, N., et al., "Specificity of Peptide Binding by the HLA-A2.1 Molecule, J. of Immunol. 143(9):2939-2947 (November 1, 1989).				
C15	Carreno, B.M., et al., "HLA-B37 and HLA-A2.1 molecules bind largely nonoverlapping sets of peptides," <i>Proc. Natl. Acad. Sci. USA</i> , 87:3420-3424 (May 1990) .				
C16	Henderson, R.A., et al., "HLA-A2.1-Associated Peptides from a Mutant Cell Line: A Second Pathway of Antigen Presentation," Science 255:1264-1266 (10 February 1992).				
C17	Kannagi, M., et al., "Target Epitope in the Tax Protein of Human T-Cell Leukemia Virus Type I Recognized by Class I Major Histocompatibility Complex-Restricted Cytotoxic T Cells, "J. of Virol. 66 (5):2928-2933 (May 1992).				
C18	Falk, K., et al., "Allele-specific motifs revealed by sequencing of self-peptide eluted from MHC molecules," Nature 351:290-296 (23 May 1991) .				
C19	Jardetzky, T.S., et al., "Identification of self peptides bound to purified HLA-B27, Nature 353:326-329 (September 26, 1991).				
C20	Hunt, D.F., et al., "Characterization of Peptides Bound to the Class I MHC Molecule HLA-A2.1 by Mass Spectrometry," Science 255:1261-1263 (March 6, 1992).				
C21	Rotzschke, O., et al., "Naturally occurring peptide antigens derived from the MHC class-I-restricted processing pathway," <i>Immunology Today</i> 12(12):447-455 (1991).				
C22	De Bruijn, M.L.H., et al., "Peptide loading of empty major histocompatibility complex molecules on RMA-S cells allows the induction of primary cytotoxic T lymphocyte responses, Eur. J. Immunol. 21:2963-2970 (1991) .				
C23	Pamer, E.G., et al., "Precis epitope of Listeria monocyto	Pamer, E.G., et al., "Precise prediction of a dominant class I MHC-restricted epitope of Listeria monocytogenes," <i>Nature</i> 353:852-855 (October 31, 1991).			
C24	DiBrino, M. et al., "Endogenous peptides bound to HLA-A3 possess a specific combination of anchor residues that permit identification of potential antigenic peptides, Proc. Nat'l. Acad. Sci. USA 90: 1508-1512 (February 1993) .				
MC25	Paul, W.F. (ed.), Fundamenta Press, NY	l Immunology, 2nd ed., pp	. 473-487 (1989), Raven		



18/38/61

	449 (Modified) TENTS AND PUBLICATIONS FOR	Attorney Docket No. 018623-005091/EPI 0050.91US	Serial No.: 09/017,524		
APPLICANT'S INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary) NOV 2 3 3 3					
(Use several	sheets if necessary) not 2 , 100 0	Filing Date: 2/3/98	Group: not assigned		
W C26	Romero et al., J. Exp. Med. 174: 603-612 (Sept. 1991), "H-2Kd-restricted antigenic peptides share a simple binding motif".				
C27	Sette et al., Proc. Nat'l. A major histocompatibility com	Sette et al., Proc. Nat'l. Acad. Sci. USA 86: 3296-3300 (1989), "Prediction of major histocompatibility complex binding regions by sequence pattern analysis".			
C28	Krieger et al., J. Immunol. 146: 2331-2340 (1991) "Single amino acid changes in DR and antigen define residues critical for peptide-MHC binding and T cell recognition".				
C29	Sette et al., J. Immunol. 14 peptide repertoire of A2.1 C	Sette et al., J. Immunol. 147: 3893-3900 (1991), "Random association between the peptide repertoire of A2.1 Class I and several different DR Class II molecules".			
C30	Knuth et al., Curr. Opinion Immunol. (1991) 3: 659-664, "Cellular and humoral immune responses against cancer: implications for cancer vaccines".				
C31	Viret et al., Eur. J. Inununol. (1993) 23: 141-146, "Recognition of shared melanoma antigen by HLA-A2-restricted cytolytic T cell clones derived from human tumor-infiltrating lymphocytes".				
C32	Hayashi et al., J. Immunol. (1992) 149: 1223-1229, "Molecular cloning and characterization of the gene encoding mouse melanoma antigen by cDNA library transfection".				
C33	Storkus et al., J. Immunol. (Oct. 1, 1993) 151: 3719-3727, "Identification of human melanoma peptides recognized by Class I restricted tumor infiltrating T lymphocytes".				
C34	Slingluff et al., J. Immunol. (April 1, 1993) 150: 2955-2960, "Recognition of human melanoma cells by HLA-A2.1-restricted cytotoxic T lymphocytes is mediated by at least six shared peptide epitopes".				
C35	Van der Bruggen et al., Science (Dec. 13, 1991) 254: 1643-1647, "A gene encoding an antigen recognized by cytolytic T lymphocytes on a human melanoma".				
C36	Maryanski et al., Cell 60: 63-72 (1990) "Competitor analogs for defined T cell antigens: peptides incorporating a putative binding motif and polyproline or polyglycine spacers".				
C37	Bjorkman et al., "Structure of the human class I histocompatibility antigen HLA-A2," Nature (1987) 329: 506				
C38	Buus et al., Science (1988) 242: 1045-1047 "Autologous peptides constitutively occupy the antigen binding site on Ia"				
C39	Celis et al., Mol. Immunol. (1994) 31: 1423-1430, "Identification of potential CTL epitopes of tumor-associated antigen MAGE-1 for five common HLA-A alleles"				
C40	Rammensee et al., Immunogenet. (1995) 41: 178-228, "MHC ligands and peptide motifs: first listing"				
C41	Rotzschke et al., Nature (Nov. 15, 1990) 348: 252-254, "Isolation and analysis of naturally processed viral peptides as recognized by cytotoxic T cells"				
C42	Rotzschke et al., Science (Snaturally occurring minor hi	Rotzschke et al., Science (July 20, 1990) 249: 283-287, "Characterization of naturally occurring minor histocompatibility peptides including H-4 and H-Y"			
C43	Jiang et al., Science (May 22, 1992) 256: 1213-1215, "Role of CD8* T cells in murine experimental allergic encephalomyelitis"				
₩ C 44	Koh et al., Science (May 22, relapses in experimental all	1992) 256: 1210-1213, "Le ergic encephalomyelitis in	ess mortality but more n CDB ^{-/-} mice"		



FORM PTO-1449 (Modified)		Attorney Docket No. 018623-005091/EPI	Serial No.: 09/017,524		
APPLICANT'	TENTS AND PUBLICATIONS FOR S INFORMATION DISCLOSURE	0050.91US Applicant: Ralph T. Kubo et al.			
(Use several sheets if necessary)		Filing Date: 2/3/98	Group: not assigned		
<u>M</u>) C45	Miller et al., Proc. Nato. Acad. Sci. USA (January 1992) 89: 421-425, "Suppressor T cellemberated by oral tolerization to myelin basic protein to suppress both in vitro and in vivo immune responses by the release of transforming growth factor β after antigen-specific triggering"				
No C46	Foon, Cancer Res. (April 1, 1989) 49: 1621-1639, "Biological response modifiers: the new immunotherapy"				
M C47	Parker et al., J. Immunol. (December 1, 1992) Sequence motifs important for peptide binding to the human MHC Class I molecule, HLA-A2"				
C48	BRUSS, V. A short linear sequence in the pre-S domain of the large hepatitis B virus envelope protein required for virion formation. J. Virology. December 1997, Vol. 71, No. 12, pages 9350-9357.				
C49	PREISLER-ADAMS, S. et al. Complete nucleotide sequence of a hepatitis B virus, subtype adw2, and identification of three types of C open reading frame. Nucleic Acids Res. 1993, Vol. 21, No. 9, pages 2258.				
m C50	RAMMENSEE, H. et al. Peptides naturally presented by MHC Class I molecules. Annu. Rev. Immunol. 1993, Vol. 11, pages 213-244.				
C51	ENGELHARD, V. et al. Structure of peptides associated with MHC Class I molecules. Curr. Opin. Immunol. 1994, Vol. 6, pages 13-23.				
C52	Aichele, P. et al., J. Exp. Med. 171:1815-1820 (May, 1990), "Antiviral cytotoxic T cell response induced by in vivo priming with a free synthetic peptide".				
C53	Kast, W.M. et al., Proc. Nat'l Acad. Sci. 88:2283-2287 (March, 1991), "Protection against lethal Sendai virus infection by in vivo priming of virus-specific cytotoxic T lymphocytes with a free synthetic peptide".				
C54	Deres, K. et al., Nature 342:561-564 (30 November 1989), "In vivo primining of virus-specific cytotoxic lymphocytes with synthetic lipopeptide vaccine".				
C55 ,	Kumar, V. et al., PNAS 87:1337-1341 (February 1990), "Amino acid variations at a single residue in an autoimmune peptide profoundly affect its properties".				
C56 '	Cordingley, et al., J.B.C. 265: 9062-65 (1990)				
C57	Maryanski, J.L. et al., J. Exp. Med. 167:1391-1405 (April 1988), "Synthetic peptides as antigens and competitors in recognition by H2-restricted cytolytic T cell specific for HLA".				
C58	Patarroyo, M.E. et al., Nature 328:629-632 (August 1987), "Induction of protective immunity against experimental infection with malaria using synthetic peptides".				
C59 •	Robson, K. et al., Nature 33	5:79-82 (1988).			
EXAMINER () DATE CONSIDERED 12 30 Los					

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.





FORM PTO-1449 (Modified)			Attorney Docket	Attorney Docket No.: 18623-005091US			Application No.: 09/017,524	
LIST OF PATENTS AND PUBLICATIONS FOR			1 11 1	Applicant: Ralph T. Kubo et al.				
APPLICANT'S INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary)			Filing Date: Febr	Filing Date: February 3, 1998			Group: 1644	
	U.S. PATENT DO	CHMENTS		- 	D 1			
Reference Desig	ſ	Data		CUMENTS		0.1.1	Page 1	
Examiner Initial	Document No.	Date	Name		Class	Sub-class	Filing Date (If Appropriate)	
		SPE	*					
		/0		67				
	JAN 1 3 2000		100 g	9				
			187					
		ENT & TRAD	<u>EMP</u>					
			OREIGN PATENT	DOCUMEN	NTS			
	Documen	1	Date	Country	Class	Sub-class	Translation	
							(Yes/No)	
M-DA	EP 0 728 764 A		28 August 1996	Europe				
· · · · · · · · · · · · · · · · · · ·	(AJINOMOTO	CO.)						
DB	the annual fernice and the Add State of the Control		27 April 1995	PCT				
	(AJINOMOTO CO.)			ļ				
<u></u> DC	WO 94/20127		15 September 1994	PCT				
	(CYTEL CORPO	ORATION)	(1994-09-15)					
<u></u> DD			31 August 1995	PCT				
	(LUDWIG INSTITUTE) (19		(1995-08-31)					
<u></u> MDE	WO 97/04802		13 February 1997	PCT				
	1 ` 1 '		(1997-02-13)		man a summaria da man			
	CANCER FOUR	NDATION)		 				
				<u>. </u>			1	
		· · · · · · · · · · · · · · · · · · ·	icluding Author, Tit					
DF	CHEMICAL ABSTRACTS, vol. 125, no. 19, 4 November 1996 (1996-11-04) Columbus, Ohio, US; abstract no. 245055							
	P. SHANKAR ET AL.: "Three regions of HIV-1 gp160 contains clusters of immunodominant CTL epitopes"							
	XP002122110 & IMMUNOLOGY LETTERS., vol. 52, no. 1, January 1996 (1996-01), pages 23-30,							
	AMSTERDAM., NL ISSN: 0165-2478							
EXAMINER	// · · · · · ·		DATE CONSI	DEKED	12120	(人)		

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.